

Broj: 404-50-2/2016

Datum: 26.12.2016

**OBRAZAC PONUDE**  
**-sa specifikacijom -**

<b>Za nabavku dobara „ Računarska oprema“</b>	
<b>PONUĐA BROJ:</b> _____ . od ____ . ____ .2016.godine	
<b>NAZIV PONUĐAČA:</b>	
<b>SEDIŠTE:</b>	
<b>ULICA I BROJ:</b>	
<b>MATIČNI BROJ:</b>	
<b>PIB:</b>	
<b>TEKUĆI RAČUN I NAZIV BANKE</b>	
<b>LICE OVLAŠĆENO ZA POTPISIVANJE UGOVORA</b>	
<b>OBVEZNIK PDV-a</b>	<b>DA      NE      /zaokružiti/</b>
<b>KONTAKT OSOBA ime i prezime, telefon, e-mail adresa:</b>	

**Tehničke karakteristike:**

**1. LASERSKI ŠTAMPAČ (minimalne tehničke karakteristike)**

<b>Tip</b>	Laser
<b>Format papira</b>	A4
<b>Brzina štampe</b>	18ppm
<b>Rezolucija</b>	600dpi
<b>Mesečni obim štampe</b>	5000 strana
<b>Kapacitet ulaza</b>	150 lista
<b>Memorija</b>	2MB
<b>Povezivanje</b>	USB
<b>Podržani OS</b>	Windows XP ili noviji, Mac OSX 10.4, Linux
<b>Mreža</b>	Ne
<b>Wireless</b>	Opciono, uz kupovinu dodatka
<b>Dvostrana štampa</b>	Ne

## 2. INKJET ŠTAMPAČ (minimalne tehničke karakteristike)

<b>Funkcionalnost</b>	Print, copy, scan
<b>Format papira</b>	A4
<b>Rezolucija crna/kolor</b>	Crna 1200 x 1200 dpi, u boji 4800 x 1200 dpi
<b>Brzina crna/kolor</b>	Crna 7,5 ppm u boji 5,5 ppm
<b>Mesečni obim štampe</b>	Do 1000 strana
<b>Senzor skenera</b>	Tip Flatbed
<b>Optička rezolucija skenera</b>	Do 1200 dpi
<b>Kolorit skenera</b>	24 bits
<b>Kapacitet ulaza</b>	60 strana
<b>Podržani OS</b>	Windows 10, Windows 8.1, Windows 8, Windows 7 i noviji, OS X v10.8 Mountain Lion, OS X v10.9 Mavericks, OS X v10.10 Yosemite.
<b>Povezivanje</b>	1 Hi-Speed USB 2.0
<b>Potrošni materijal</b>	2 (1 black, 1 tricolor)
<b>Boja</b>	Kolor
<b>Emulacija</b>	HP PCL 3 GUI

### 3. Laserski štampač (minimalne tehničke karakteristike)

<b>Funkcija i vrsta printera</b>	<b>Print, copy, scan, fax</b>
<b>Format</b>	A4, A5, B5 (JIS), C5, DL, Envelopes Paper (heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, postcards
<b>Rezolucija štampe</b>	<b>Up to 1200 x 1200 dpi</b> (HP ProRes 1200, HP FastRes 1200, 600 dpi)
<b>Duplex štampa</b>	<b>Automatic (standard)</b>
<b>Najveća brzina štampe (str/min)</b>	<b>Brzina crno-belog štampanja: Normalno: Up to 25 ppm</b> <b>Prva izlazna stranica (spremna) Crno-belo: As fast as 8 sec</b>
<b>Maksimalni mesečni obim štampe</b>	<b>Radni ciklus (mesečni, A4) Up to 8,000 pages</b> Preporučena mesečna količina stranica 500 to 2,000
<b>Karakteristike skenera</b>	<b>Flatbed, ADF</b> Scan file format JPEG, PDF, PNG Scan resolution, optical Up to 300 dpi (colour and mono, ADF); Up to 600 dpi (colour, flatbed); Up to 1200 dpi (mono, flatbed) Scan size (flatbed), maximum 216 x 297 mm Scan size (ADF), maximum 216 x 356 mm Brzina skeniranja (normalna, A4) Up to 14 ppm (monochrome), up to 5 ppm (colour) 10 Duplex ADF scanning No Automatic document feeder capacity Standard, 35 sheets Digital sending standard features No Scan input modes Windows: Scanning via HP LaserJet Scan Macintosh: HP Director or TWAIN-compliant or WIA-compliant software
<b>Karakteristike kopira</b>	Brzina kopiranja (normalna) Crno-belo: Up to 25 cpm 3 Copy resolution (black text) Up to 600 x 600 dpi Copy reduce / enlarge settings 25 to 400% Copies, maximum Up to 99 copies
<b>Karakteristike faxesa</b>	Faxing Yes Brzina slanja faksa 3 sec per page 4 Fax memory Up to 400 pages Fax resolution Up to 300 x 300 dpi (halftone enabled) Speed dials, maximum number Up to 120 numbers (119 group dials) Broadcast locations 119

<b>Ostalo</b>	<b>Kompatibilni operativni sistemi</b> Full software installs supported on: Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit) Driver only installs (by CD) supported on: Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (32-bit) (SP1 or higher), Windows Server 2003 R2 (32-bit) Driver only installs (by APW) supported on: Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit), Windows Server 2008 R2 (SP1) (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2003 R2 (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit) (SP1 or higher), Windows Server 2003 Standard and Enterprise Mac OS X Lion, OS X Mountain Lion, and Mavericks For Linux/Unix support, please refer to: <a href="https://hplipopensource.com/hplip-web/index.html">https://hplipopensource.com/hplip-web/index.html</a> Print languages PCL5c, PCL6, PS, PCLm, PDF
<b>Povezivost</b>	HP ePrint capability Yes Mogućnost štampanja sa mobilnog uređaja HP ePrint, Apple AirPrint™, Mopria-certified Wireless capability Yes, built-in WiFi 802.11b/g/n <b>Connectivity, standard: Hi-Speed USB 2.0 port (host/device), Built-in Fast Ethernet 10/100Base-TX network port, Phone line port (in/out) Network ready Standard (built-in Ethernet, WiFi 802.11b/g/n)</b>
<b>Potrošni materijal</b>	Rezervni kertridži: HP 83A Toner Cartridge (Replacement Toner CRG, ~1,500 pages) CF283A HP 83X Toner Cartridge (High-capacity Replacement Toner CRG, ~2,200 pages) CF283X

#### 4. Laserski štampač (minimalne tehničke karakteristike)

<b>ADF</b>	do 35 lista 60-90g/m <sup>2</sup>
<b>Mreža</b>	Da
<b>Funkcionalnost</b>	Štampač, skener, kopir, fax
<b>Tip</b>	Laser
<b>Format papira</b>	A4
<b>Rezolucija crna/kolor</b>	600x600 dpi
<b>Brzina crna/kolor</b>	21 ppm
<b>Mesečni obim štampe</b>	do 8000 strana
<b>Optička rezolucija skenera</b>	1200 dpi
<b>Memorija</b>	128MB
<b>Kapacitet ulaza</b>	150 listova
<b>Podržani OS</b>	Windows XP (32-bit) (SP2) ili noviji, Mac OS X 10.6.8 ili noviji, Linux
<b>Povezivanje</b>	USB, LAN 10/100Mbps
<b>Potrošni materijal</b>	1187701 Toner CF283A black 1500 strana
<b>Boja</b>	mono laser
<b>Faks</b>	Da

#### 5. TELEFONSKA CENTRALA (minimalne tehničke karakteristike)

<b>Funkcije</b>	Kapacitet sistema: 3 ulazne linije i 8 lokala • Max. kapacitet sistema: 8 ulaznih linija i 24 lokala (16:hybrid, 8:SLT) • Prikaz broja pozivaoca - Caller ID - na lokalima • Mogućnost ugradnje kartice za identifikaciju dolznih poziva - opcija ( KX-TE82493 ili KX-TE82494 , kartica za 3 ulazne linije ) • DISA kartica s pozdravnom porukom (OGM - 180sec) • Remote modem • Ravnomerna raspodela poziva po lokalima (UCD) • Prosleđivanje poziva (Call forwarding) • Način rada: dan/noć/ručak • Podržava konferencijski razgovor 5 sagovornika • Nadzor prostorije preko telefona (room monitor) • Poruka o odsutnosti na lokalima • Ograničavanje trajanja poziva (1-32 minute) • Mogućnost priključivanja do 4 portafona • Transformator za elektro bravu
-----------------	---

## 6. LAPTOP 1 (minimalne tehničke karakteristike)

Procesor	Intel Core i3-5005U 2.0GHz (3MB cache, 2 jezgra, 4 thread-a)
Memorija	4GB 1600MHz DDR3L (1 slot, maksimalno 8GB)
Hard disk	500GB 5400rpm + 8GB SSHD
Grafička kartica	Intel HD Graphics 5500
Ekran	15.6 inča IPS LED Touch FHD 1920x1080 piksela (AntiGlare)
Optički uređaj	Nema
Mreža	WiFi 802.11b/g/n, Bluetooth 4.0, LAN 10/100Mbps
Povezivanje	1x USB 2.0, 2x USB 3.0, HDMI, RJ45, 3.5mm audio ulaz/izlaz
Web kamera	HD 720p
Način unosa podataka	Tastatura, ekran osjetljiv na dodir, Touchpad
Baterija	Li-Polymer 2-cell
Operativni sistem	Windows 10 Home 64-bit
Ostalo	Čitač memorijskih kartica, Ugrađeni stereo zvučnici sa Dolby Home Theater
Boja	Crna

## 7. LAPTOP2 (minimalne tehničke karakteristike)

Procesor	Intel Core i5-5200U 2.2GHz (Turbo do 2.7GHz, 3MB cache, 2 jezgra, 4 thread-a)
Memorija	4GB 1600MHz DDR3L (1 slot, 1 slobodan, maksimalno 16GB)
Hard disk	500GB SATA 5400rpm
Grafička kartica	Intel HD Graphics 5500 + nVidia Geforce 920M 1GB
Ekran	15.6 inča LED HD 1366x768 piksela (TruBrite)
Optički uređaj	Nema
Mreža	WiFi 802.11b/g/n, Bluetooth 4.0, LAN 10/100Mbps
Povezivanje	2x USB 2.0, 1x USB 3.0, HDMI, RJ45, 3.5mm audio ulaz/izlaz
Web kamera	1.0Mpix HD
Način unosa podataka	Tastatura (US) sa izdvojenim numeričkim delom, TouchPad
Baterija	Li-Ion 4-cell
Operativni sistem	Nema
Ostalo	Čitač memorijskih kartica
Boja	Bela
Masa	2.2Kg

### 8. Laptop3 (minimalne tehničke karakteristike)

<b>Procesor</b>	Intel Core i3-3110 2.4GHz (3MB cache, 2 jezgra)
<b>Memorija</b>	4GB (1x4GB) DDR3 1600MHz (2 slota, maksimalno 8GB)
<b>Hard disk</b>	500GB SATA 7200rpm
<b>Grafička kartica</b>	Intel® HD 4000
<b>Ekran</b>	15.6" LED backlight HD 1366x768 (WXGA)
<b>Optički uređaj</b>	DVD±RW
<b>Mreža</b>	10/100/1000 Mbps, Wi-Fi 802.11b/g/n, Bluetooth 4.0
<b>Povezivanje</b>	2x USB 3.0, 1x USB 2.0, HDMI, VGA, RJ-45, eSATA, 3.5mm izlaz/ulaz
<b>Web kamera</b>	0.3Mpix, sa digitalnim mikrofonom
<b>Način unosa podataka</b>	Tastatura sa izdvojenim numeričkim delom, TouchPad
<b>Baterija</b>	6-cell Li-Ion
<b>Operativni sistem</b>	Linux Ubuntu 12.04
<b>Ostalo</b>	3-u-1 (SD/MMC/MS) čitač kartica, slot za ExpressCard 54mm
<b>Boja</b>	Crna
<b>Masa</b>	2.4

### 9. Desktop računar1 (minimalne tehničke karakteristike)

Processor Brand	Processor family
Processor Speed	3 GHz
Processor Socket	Socket H3 (LGA 1150)
Processor Count	2
RAM Size	4096 MB
Memory Technology	DDR3-SDRAM
Computer Memory Type	DDR3 SDRAM
Maximum Memory Supported	16 GB
Hard Drive Size	1000 GB
Hard Drive Interface	Serial ATA
Audio Details	1
Graphics Card Description	No
Connectivity Type	No
Number of USB 2.0 Ports	6
Number of Ethernet Ports	1
Wattage	240 watts
Optical Drive Type	DVD Super Multi

## 10. Desktop računar 2 (minimalne tehničke karakteristike)

Processor: Intel Core i5-2400 3.1GHz

Memory: 16GB DDR3 RAM

Hard drive: 500 GB

Optical drive: DVD-RW

Graphics: Integrated Intel HD Graphics

Audio: Integrated High Definition Audio

Networking: Integrated Gigabit Ethernet

Bays: 2 3.5-inch Internal, 2 5.25-inch External, 1 3.5-inch External

Slots: 2 PCI, 1 PCIe x1, 1 PCIe x16

Ports: 8 USB 2.0 (2 front, 6 rear), serial port, VGA, DisplayPort, RJ-45, headphone, 2 microphone (1 front, 1 rear), audio line-in, audio line-out

Power Supply: 280W

## 11. Eksterni hdd 1 (minimalne tehničke karakteristike)

<b>Format</b>	2.5"
<b>Kapacitet</b>	1TB
<b>Povezivanje</b>	USB3.0
<b>Kompatibilnost</b>	Windows 2000 ili noviji, Linux, MAC OS X

## 12. Eksterni hdd 2 (minimalne tehničke karakteristike)

<b>Format</b>	2.5"
<b>Kapacitet</b>	2 TB
<b>Povezivanje</b>	USB 3.0 (5.0 Gbps)
<b>Dimenzije</b>	82x21x111mm
<b>Masa</b>	0.23kg



<b>Redni broj</b>	<b>Naziv proizvoda</b>	<b>Jedinica mere</b>	<b>Količina</b>	<b>Jedinična cena po komadu bez PDV-a</b>	<b>Ukupan iznos bez PDV-a (4x5)</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
1	<b>LASERSKI ŠTAMPAČ</b>	kom	1		
2	<b>INKJET ŠTAMPAČ</b>	kom	1		
3	<b>Laserski štampač</b>	kom	1		
4	<b>Laserski štampač</b>	kom	1		
5	<b>TELEFONSKA CENTRALA</b>	kom	1		
6	<b>LAPTOP 1</b>	kom	1		
7	<b>LAPTOP 2</b>	kom	1		
8	<b>Laptop3</b>	kom	1		
9.	<b>Desktop računar1</b>	kom	1		
10.	<b>Desktop računar 2</b>	kom	1		
11.	<b>Eksterni hdd 1</b>	kom	3		
12.	<b>Eksterni hdd 2</b>	kom	6		

Ukupna cena za svu opremu iz tehničke specifikacije naručioca <b>bez PDV-a</b>	
<b>PDV</b>	
<b>UKUPNO SA PDV-om</b>	

U cenu su uračunati svi prateći troškovi realizacije isporuke - franko naručilac-Opštinska uprava opština Tutin, Bogoljuba Čukića 7, 36320 Tutin.

**Rok plaćanja je** 45 (četrdeset i pet) dana od dana službenog prijema ispravno ispostavljene i overene fakture-otpremnice.

Faktura mora da sadrži broj narudžbenice/ugovora na osnovu koje se izdaje.

Ponuđaču nije dozvoljeno da zahteva avans.

**Garantni rok za isporučena dobra je:** \_\_\_\_\_ (minimalno 24) mesecia od dana isporuke dobara, odnosno od dana primopredaje dobara. (*upisuje ponuđač*)

**Rok isporuke** \_\_\_\_\_ (Rok isporuke ne duži od 2 dana od dana izdavanja narudžbenice)

**Važnost ponude** iznosi \_\_\_\_\_ dana od dana otvaranja ponuda. ( ne može biti kraći od 30 dana)

**Napomena:**

***Ponuđač je u obavezi da uz obrazac ponude dostavi tehničke karakteristike za sva ponuđena dobra.***

\_\_\_\_\_  
(datum)

**ZA PONUĐAČA**

\_\_\_\_\_  
(ime i prezime ovlašćenog lica)

mp

\_\_\_\_\_  
(potpis ovlašćenog lica)